

Becoming-Sound

Affect and Assemblage in
Improvisational Digital Music Making

Ben Swift

Research School of Computer Science
Australian National University



THE AUSTRALIAN NATIONAL UNIVERSITY

Outline

- Affect and assemblage
- Jamming in *Viscotheque*: a case study



The *intensity* of
jamming

complex socio-technical
interactive systems


beyond usability...

...towards *experience*

experience

beautiful
snowflake

all the
same



affect

affect / intensity

Spinoza

Deleuze

Massumi

affect

pre-personal

feeling

personal, biographical

emotion

performed, projected

affect is *unstructured potential*

feelings represent the
registration of affect

affect *gives rise to* movement,
transformation and difference

what can a body do?

assemblage is the network(ing) of
affective/intensive forces

...which can open up new
potentials for action

agency is complex

posture

toe-tappin'
thigh-slappin'

music is *affective*


mood

memory

manipulative

focus



concentration





Viscotheque

iOS group
music making
environment



what are the affective
atmospheres in Viscotheque?

P1

P2

P3

Participants



obs

Viscotheque

P1



P2

P3

obs



Group
Interview





system
logs



video of
session



interview
transcripts

Week 1

Group 1



Week 1

Group 1




Group 2



Group 3



Group 4




Week 1

Week 2


Week 3

Week 4

Group 1



Group 2



Group 3



Group 4





Interview themes

- 50k words, grounded theory
- The affective power of the sound
- Ownership of/identification with the sound
- The need to differentiate, to *find* a sound


Observations

- Moments of real intensity
- Earlier sessions—flighty, skittish
- Later sessions—sedate, subdued
- Punctuated equilibrium

becoming-sound


but we have all this log data...

accelerometer signatures



average RMS motion energy 0.25 0.50 0.75 1.00

mean accel z value -1.00 -0.95 -0.90 -0.85 -0.80 -0.75



Implications

- Agency is complicated in affectively-charged environments


Future work

- Co-location vs remote interaction
- Instrumentation: GSR, motion analysis

Cheers


ben.swift@anu.edu.au

touch count ● 1 ● 2 ● 3




group
1

touch count ● 1 ● 2 ● 3




group
2

touch count ● 1 ● 2 ● 3




group
3

touch count ● 1 ● 2 ● 3




group
4

touch count ● 1 ● 2 ● 3




week 1

touch count ● 1 ● 2 ● 3




week 2

touch count ● 1 ● 2 ● 3




week 3


touch count ● 1 ● 2 ● 3




week 4

touch count ● 1 ● 2 ● 3








average RMS motion energy 0.25 0.50 0.75 1.00


mean accel z value -1.00 -0.95 -0.90 -0.85 -0.80 -0.75




A sensitive synthesis of machine learning and affect theory requires...

- not attaching numbers to things that aren't
- looking for *differences* in the data
- examining the *nature* of those differences

feature window (5 sec)





session 1

jam 1

jam 2

jam 3

jam 4

session 2

jam 1

jam 2

jam 3

jam 4

session 3

jam 1

jam 2

jam 3

jam 4

session 4

jam 1

jam 2

jam 3

jam 4

session 1

jam 1

jam 2

jam 3

jam 4

session 2

jam 1

jam 2

jam 3

jam 4

session 3

jam 1

jam 2

jam 3

jam 4

session 4

jam 1

jam 2

jam 3

jam 4

session 1

jam 1

jam 2

jam 3

jam 4

session 2

jam 1

jam 2

jam 3

jam 4

session 3

jam 1

jam 2

jam 3

jam 4

session 4

jam 1

jam 2

jam 3

jam 4

