

Visualising a Live Coding Arts Process

Arrian Purcell
Research School of
Computer Science, CECS
Australian National
University
u5015666@anu.edu.au

Henry Gardner
Research School of
Computer Science, CECS
Australian National
University
henry.gardner@anu.edu.au

Ben Swift
Research School of
Computer Science, CECS
Australian National
University
ben.swift@anu.edu.au

ABSTRACT

This paper describes an empirical study of source code visualisation as a means to communicate the programming process in “live coding” computer music performances. Following an exploratory field study of a live-coding performance at an arts festival, two different interaction-driven visualisation techniques were incorporated into a live coding system. We then performed a more controlled laboratory study to evaluate the visualisations’ contributions to the audience experience, with emphasis on the (self-reported) experiential dimensions of *understanding* and *enjoyment*. Both software visualisation techniques enhanced audience enjoyment, while the effect on audience understanding was more complex. We conclude by suggesting how these visualisation techniques may be used to enhance the audience experience of live coding.

Categories and Subject Descriptors

H.5.2 [Information Interfaces and Presentation]: User Interfaces—*Evaluation/methodology*

General Terms

Design, Experimentation

Keywords

Live coding, musical performance, software visualisation

INTRODUCTION

“Show us your screens...Code should be seen as well as heard”, declares the draft manifesto of “TOPLAP” (Toplap, 2010), an international organisation devoted to the artistic performance practice of “live coding”. In live coding, computer code is written in front of a live audience to generate music and visuals in real time. The “show us your screens” rhetoric underscores the need for authenticity to distinguish this artform from similar (but non-live) computational arts practices.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

OzCHI ’14, December 02 - 05 2014, Sydney, NSW, Australia
Copyright is held by the authors. Publication rights licensed to ACM.
ACM 978-1-4503-0653-9/14/12... \$15.00
<http://dx.doi.org/10.1145/2686612.2686634>.

But what actually is the benefit of the live coder showing their screen? In a live coding performance, non-expert live coding audience members spend much of their time staring at raw (usually text-based) computer code. In a live coding performance, including those described in this paper, the computer code is central to the audience experience, being projected onto large screens behind the performer. Until now, little empirical study has been undertaken to gauge an audience’s response to that computer code and whether, from an audience perspective, code really should be “seen as well as heard”.

Traditional approaches to source code visualisation (see Novais et al., 2013 for a review) often focus on the structure of the source code (e.g. visualising complex object/class relationships) rather than the *process* of programming. In a process-oriented activity such as live coding, different code visualisation techniques are thought to be necessary (McLean et al., 2010; Magnusson, 2011). However, until now, academic treatments of code visualisations in live coding have adopted theoretical and descriptive approaches, and have not included empirical evaluation of the visualisation techniques.

In this paper, we examine the audience’s experience of displayed code and visualisations during live coding performances to see whether code-driven visualisations might improve both the audience enjoyment and the audience understanding of these performances. Our investigations commenced with a field study at a contemporary-arts festival and subsequently included a controlled, laboratory-based audience study.

EXPLORATORY FIELD STUDY

Immediately following a live-coding performance at the *You Are Here* arts festival in Canberra, Australia, in March 2014, we asked audience members to fill out a survey regarding their perception of, and response to, the projected computer code. Each audience member was asked to indicate which of five curves best represented the way that their (self-reported) *enjoyment* and their *understanding* (of the relationship between the visuals and the music) over time through the performance (an example of one of these curves can be seen in Figure 4). The curve trajectories in this survey allowed for “high”, “medium”, and “low” levels of enjoyment/understanding for the (self-determined) “beginning”, “middle” and “end” phases of the performance. Other survey questions addressed the “liveness” of the performance (c.f. Auslander, 2008) and whether the projected code was confusing.




Figure 1: An example didactic visualisation (all figures best viewed in colour).

Field Study Results

Of the thirteen survey responses received (roughly 80% of the total audience), six audience members reported a high level of enjoyment throughout the whole performance, while the remaining seven responses reported alternating levels of enjoyment. No audience members indicated a low level of enjoyment throughout the performance.

Only two of the thirteen respondents indicated that they understood the relationship between the code projections and the music throughout the performance. Three of the six respondents who reported a high level of enjoyment throughout the performance also indicated an increase in understanding (from low to high) as the performance progressed, although a Chi-square analysis revealed no significant relationship between enjoyment and understanding. Nine of the thirteen respondents stated that the code projection provided a sense of liveness to the performance and the remainder stated that viewing the code had no effect on their sense of liveness. Four respondents felt that the code projections were confusing, five felt that they were not confusing, and four did not answer the question.

Taken as a whole, the results of this small field study were salutatory concerning the benefit of “seeing as well as hearing” code during a live coding performance. The majority of the audience felt that the code made the performance seem more “live”. However, a minority stated that they found the projections confusing and only a very small number of respondents claimed to have actually understood what the programmer was doing. We were intrigued by the three respondents whose understanding increased through the performance and whose enjoyment remained high, and we wished to test whether augmenting code projections with additional visualisations might give rise to similar responses across the wider audience.

LABORATORY STUDY

A laboratory study was conducted to test the impact of accompanying visualisations on audience understanding and enjoyment of live coding. Music visualisation is an extremely rich and open-ended task, so to guide the development of our




Figure 2: An example aesthetic visualisation.

visualisations, we used the concepts of understanding and enjoyment to develop two new code visualisations which we termed *didactic* and *aesthetic*.

The *didactic* visualisation (shown in Figure 1) attempted to communicate *information* about the actions of the programmer, prominently displaying the *names* of the active (source code) functions and the “time until next execution” for each function (which is particularly relevant in a time-sensitive programming context such as music making). Bright colours and solid shapes were used to ensure constant visibility and to communicate the intention of the underlying code.

The *aesthetic* visualisation technique, was designed to react to the programmer’s activity in a more abstract way, to maximise aesthetic appeal (Cawthon and Moore, 2007) and to engage the audience’s interest. Although still based on the source code and the live coder’s edits, the generation of shapes was driven by instrument volume and synchronised with the musical beat. The emphasis for the aesthetic visualisation was on the artistic appeal of the visuals (see Figure 2), including more variety in visual structure and colour. Like the didactic condition, the aesthetic visualisations proceeded through four stages, based on the number of active functions (instruments), but these visuals had no textual labels and they moved and interacted with each other over the entire projected scene.

Our hypothesis was the didactic visualisation would result in enhanced audience understanding through the performance. In contrast, we predicted that the aesthetic visualisations would more positively influence audience enjoyment.

Experimental Design

To assess the impact of these two visualisation techniques on audience understanding and enjoyment, we conducted a laboratory study. Two independent audiences ($N = 19 + 22 = 41$), recruited through an on-campus advertisement, each watched a live coder perform two ten-minute “sets”: one accompanied by the didactic visuals, and one with the aesthetic. The order of presentation of the two visual conditions was swapped between the groups. The improvisational nature of a live coding performance makes “controlled” ex-




Figure 3: Percentage of the audience reporting “high” (green - above the line) and “low” (red - below the line) enjoyment and understanding over the beginning, middle and end stages of the performances for the aesthetic and didactic conditions. The remaining population, not shown here, reported “medium” levels of enjoyment or understanding.

periments difficult, but the live coding artist attempted (as much as possible) to perform with similar musical aesthetic and quality across all performances.

Over the course of these performances, each audience member completed a survey consisting of four sections: demographic information, their opinion of the first musical piece, their opinion of the second musical piece and questions regarding the performance overall. Similar to the first field trial, the questionnaire primarily focussed on self-reported levels of “enjoyment” and “understanding”. But, in this case, these levels were tallied as categorical variables (low, medium and high) rather than being related to curves such as that shown in Figure 4). There was also a free-format question for suggested improvements to the visualisations.

Following this laboratory study, a video-cued-recall (Suchman and Trigg, 1992) interview was conducted with the live coder using a video of the performance.

Laboratory Study Results

Of the 41 audience participants, 66% were male, 76% were aged between 18 and 32, and 78% had never seen a live coding performance before. In the following, we highlight global statistical trends and the (low/high) category trends shown in Figure 3. A significance level of 0.05 was used for the Chi-squared analysis.

Enjoyment

Overall, the majority of the participants reported that *both* visualisation conditions had a positive effect on their **enjoyment**: 76% stated that the aesthetic visualisations im-

proved their enjoyment and 56% stated that the didactic visualisations improved their enjoyment. No significant difference between the visualisation types was found ($\chi^2 = 3.7733$, $df = 2$, $p = 0.1516$).

Participants were asked to rate their enjoyment during the (self-determined) “beginning”, “middle” and “end” of the performances. The aesthetic visualisation resulted in a larger percentage (around 60%) of the audience reporting high enjoyment during the middle of the performance compared to the didactic visualisation (around 40%). Notably, only a very small percentage reported low enjoyment for the aesthetic visualisations during the middle and end of the performance.

Understanding

In response to a specific survey question, 37% of participants stated that, overall, the didactic visualisations “helped them to **understand** the code”, compared to 12% of participants for the aesthetic visualisations. This was a significant difference between the visualisation conditions ($\chi^2 = 7.1986$, $df = 2$, $p = 0.02734$).

Again, participants were asked to rate their understanding during the (self-reported) “beginning”, “middle” and “end” of the performance. The aesthetic visualisation resulted in a smaller percentage of the audience (around 30%) reporting low understanding at the beginning of the performance compared to the didactic visualisations (around 45%). However, by the end of the performances both distributions looked very similar indeed.




Figure 4: An example of one of the curves provided to the audience during the initial field study. A total of five curve options were provided. The survey question asked the participants to: “circle the image that best represents your understanding of the relationship between the visuals and the music through the performance.”

Discussion

The overall effect of visualisations on enjoyment was high for both the aesthetic and didactic visualisations. Reported enjoyment of the aesthetic visualisations was higher than for the didactic visualisations.

The trends for understanding are complex. The smaller number of high responses for understanding throughout the performances perhaps indicate a higher cognitive load for understanding the didactic visualisations themselves during the initial stages of the performance. In fact, features of the didactic visualisation were reported to *confuse* some members of the audience, despite their stated aim of *assisting* audience understanding. One audience member even stated that they “found them distracting” and that they “preferred just to read the code”.

The video-cued-recall interview with the live coder indicated that the experience of the visualisations by the live coder and by audience was fundamentally different. While many members of the audience reported that they drifted between focussing on the music, focussing on the visualisations and focussing on the code, the live coder reported that their focus was purely on the code and the music, rarely drifting. In one particular section of the interview, the live coder stated: “I definitely wasn’t paying attention to them [the visualisations] on the day. In fact I tune them out as best I can because I am just trying to focus on the code”. By contrast, one audience member stated that “you could see the code being written and the visualisations helped to show when a piece of code started working”. Another audience member stated that “the visualisations were interesting but distracting”. When asked if the visualisations were distracting, the live coder stated: “Ah, no. In general I’m just so focussed on the code”.

CONCLUSION

In this first empirical study of audience perception of code visualisation in live coding, we have identified an opportunity for real-time code visualisations to help improve the audience experience of a live-coding computer-music performance. With few exceptions, our initial survey of a live coding performance at an arts festival revealed a generally low to medium level of audience self-reported understanding throughout that performance (although almost half the survey respondents indicated a high level of enjoyment throughout).

In the laboratory study, a comparison of two prototype code visualisations indicated that both visualisations seemed to help with enjoyment. Significantly, more audience members reported that our didactic visualisations helped with understanding but overall trends for both enjoyment and understanding throughout the performances were complex. There are indications of a higher cognitive load for the didactic visualisations than the aesthetic visualisations and this may have influenced audience responses to them.

In a future extension of this work, design lessons from both visualisation types could be combined together to produce live coding visualisations which target both aesthetics and understanding of the live coding process. These visualisations could then be compared with the baseline “no visualisation” condition in an audience experiment. There are also opportunities to vary the nature of the visualisations over the course of a performance.

Over sixty years ago, the media theorist Marshall McLuhan stated that “The business of art is no longer the communication of thoughts or feelings which are to be conceptually ordered, but a direct participation in an experience. The whole tendency of modern communication. . . is towards participation in a process, rather than apprehension of concepts.” (McLuhan, 1996) Our hope is that future developments in visualisations for live coding may bring audiences further into the *process* of a highly-skilled live coding artist.

REFERENCES

- Auslander, P. *Liveness: Performance in a Mediatized Culture* (2nd ed.). Routledge (2008).
- Cawthon, N. and Moere, A. V. The Effect of Aesthetic on the Usability of Data Visualization. *2007 11th International Conference Information Visualization (IV '07)* (July 2007), 637–648.
- Magnusson, T. Algorithms as Scores: Coding Live Music. *Leonardo Music Journal* 21 (2011), 19–23.
- Mclean, A., Griffiths, D., Collins, N., and Wiggins, G. 2010. Visualisation of live code. *Visualisation and the Arts* (2010), 1–5.
- McLuhan, M. Letter to Harold Adam Innis, March 14 1951. In *Essential McLuhan*, Eric McLuhan and Frank Zingrone (Eds.) (1996), 73.
- Novais, R. L., Torres, A., Mendes, T. S., Mendonça, M., and Zazworka, N. 2013. Software evolution visualization: A systematic mapping study. *Information and Software Technology* 55, 11 (Nov. 2013), 1860–1883.
- Suchman, L. A. and Trigg, R. H. Understanding practice: video as a medium for reflection and design. In *Design at work* (1992), 65–90.
- Toplap. Toplap Manifesto. <http://toplap.org/wiki/ManifestoDraft>, (2010).